



Conc.	%SD	/Cr+PCr	Metabolite
7.20E-08	166%	3.9E-02	Ala
5.64E-07	36%	0.309	Asp
1.20E-06	13%	0.659	Cr
2.92E-07	45%	0.160	GABA
6.78E-08	150%	3.7E-02	Glc
6.18E-07	31%	0.339	Gln
4.70E-07	12%	0.257	GSH
2.14E-06	8%	1.171	Glu
4.56E-07	4%	0.250	GPC
1.66E-06	5%	0.911	Ins
1.07E-07	116%	5.8E-02	Lac
1.91E-06	5%	1.047	NAA
4.74E-07	16%	0.260	NAAG
0.000	999%	0.000	PCh
6.22E-07	26%	0.341	PCr
1.48E-07	16%	8.1E-02	sIns
0.000	999%	0.000	Tau
0.000	999%	0.000	-CrCH2
4.56E-07	4%	0.250	GPC+PCh
2.38E-06	3%	1.306	NAA+NAAG
1.83E-06	3%	1.000	Cr+PCr
2.76E-06	8%	1.510	Glu+Gln
1.71E-07	172%	9.4E-02	Lip13a
0.000	999%	0.000	Lip13b
0.000	999%	0.000	Lip09
1.83E-06	12%	1.005	MM09
2.15E-08	389%	1.2E-02	Lip20
4.22E-06	9%	2.314	MM20
6.24E-07	30%	0.342	MM12
2.06E-06	21%	1.128	MM14
1.49E-06	21%	0.818	MM17
1.71E-07	172%	9.4E-02	Lip13a+Lip13b
2.85E-06	17%	1.563	MM14+Lip13a+L
1.83E-06	12%	1.005	MM09+Lip09
4.25E-06	9%	2.326	MM20+Lip20
NO DIAGNOSTICS			
MISCELLANEOUS OUTPUT			
FWHM = 0.084 ppm		S/N = 21	
Data shift = 0.008 ppm			
Ph: 9 deg		2.2 deg/ppm	
INPUT CHANGES			
filps='out.ps'			
filraw='data.raw'			
filbas='3t.basis'			

Conc.	%SD	/Cr+PCr	Metabolite
7.20E-08	166%	3.9E-02	Ala
5.64E-07	36%	0.309	Asp
1.20E-06	13%	0.659	Cr
2.92E-07	45%	0.160	GABA
6.78E-08	150%	3.7E-02	Glc
6.18E-07	31%	0.339	Gln
4.70E-07	12%	0.257	GSH
2.14E-06	8%	1.171	Glu
4.56E-07	4%	0.250	GPC
1.66E-06	5%	0.911	Ins
1.07E-07	116%	5.8E-02	Lac
1.91E-06	5%	1.047	NAA
4.74E-07	16%	0.260	NAAG
0.000	999%	0.000	PCh
6.22E-07	26%	0.341	PCr
1.48E-07	16%	8.1E-02	sIns
0.000	999%	0.000	Tau
0.000	999%	0.000	-CrCH2
4.56E-07	4%	0.250	GPC+PCh
2.38E-06	3%	1.306	NAA+NAAG
1.83E-06	3%	1.000	Cr+PCr
2.76E-06	8%	1.510	Glu+Gln
1.71E-07	172%	9.4E-02	Lip13a
0.000	999%	0.000	Lip13b
0.000	999%	0.000	Lip09
1.83E-06	12%	1.005	MM09
2.15E-08	389%	1.2E-02	Lip20
4.22E-06	9%	2.314	MM20
6.24E-07	30%	0.342	MM12
2.06E-06	21%	1.128	MM14
1.49E-06	21%	0.818	MM17
1.71E-07	172%	9.4E-02	Lip13a+Lip13b
2.85E-06	17%	1.563	MM14+Lip13a+Lip13b+MM12
1.83E-06	12%	1.005	MM09+Lip09
4.25E-06	9%	2.326	MM20+Lip20
NO DIAGNOSTICS			
MISCELLANEOUS OUTPUT			
FWHM = 0.084 ppm S/N = 21			
Data shift = 0.008 ppm			
Ph: 9 deg 2.2 deg/ppm			
INPUT CHANGES			
filps='out.ps'			

```

filraw='data.raw'
filbas='3t.basis'
hzpppm=127.786142
deltat=5e-04
nunfil=1024

```